



**PHYSICS HSSC-II**  
**SECTION – A (Marks 17)**

Time allowed: 25 Minutes

Section – A is compulsory. All parts of this section are to be answered on this page and handed over to the Centre Superintendent. Deleting/overwriting is not allowed.

Deleting/overwriting is not allowed.

Do not use lead pencil.

حصہ اول لازمی ہے۔ اس کے جوابات ای مطور دے کر نام مرکز کے حوالے کریں۔ کاٹ کر دیوان  
کینے کی اجازت نہیں ہے۔ لید پنسل کا استعمال ممنوع ہے۔

Version No.				
4	0	0	4	3

ROLL NUMBER					

0	0	0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9

Answer Sheet No. \_\_\_\_\_

Invigilator Sign. \_\_\_\_\_

Fill the relevant bubble against each question according to curriculum: Candidate Sign. \_\_\_\_\_

Question	A	B	C	D	A	B	C	D	
1. If the velocity of free electron is doubled, its De-Broglie wave length changes by the factor of:	2	$\frac{1}{2}$	$\frac{1}{\sqrt{2}}$	$\sqrt{2}$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2. The energy of photon of wave length 500nm is:	1.77 eV	1.52 eV	3.10 eV	2.49 eV	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3. An expression for current gain of a transistor is given by:	$\beta = \frac{I_E}{I_B}$	$\beta = \frac{I_B}{I_E}$	$\beta = \frac{I_B}{I_C}$	$\beta = \frac{I_C}{I_B}$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4. For an atom in excited state n=5, maximum number of transitions that take place is:	10	25	3	5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5. The variation of electric potential due to a point charge with distance is represented by the graph:					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
6. In RLC series circuit, the current at resonance frequency is:	Zero	Infinite	Maximum	Minimum	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
7. In the figure, the charge on $3\mu F$ capacitor is:		$30\mu C$	$40\mu C$	$10\mu C$	$20\mu C$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. The force acting on a charged particle kept between the plates of charged capacitor is F. If one of the plates of the capacitor is removed, the force on particle becomes:	$\frac{F}{2}$	Zero	F	2F	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
9. The best instrument for the accurate measurement of emf of a cell is:	Potentiometer	Ohm meter	Voltmeter	Ammeter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
10. The AC circuit in which current and voltage are in phase, the power factor is:	-1	2	Zero	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
11. The temperature below which the resistivity of super conductor falls to zero is called:	Critical temperature	Kelvin temperature	Absolute temperature	Limiting temperature	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
12. A 60watt bulb operates at 50% efficiency, the energy dissipated in 10 Seconds is:	600J	700J	200J	300J	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
13. $\frac{C}{BAN}$ is:	Zero	Negative	Small	Large	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
14. With the increase in speed of motor, the magnitude of back emf:	Decreases	Becomes zero	Does not change	Increases	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
15. If $\frac{N_s}{N_p} = 1$ then the transformer is:	Neither step up nor step down	Rectifier transformer	Step up	Step down	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
16. A wire is stretched to double of its length its strain is:	0.5	0	2	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
17. PN junction when reverse biased acts as:	Inductor	OFF switch	Capacitor	ON switch	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

—2HA-I 24004 (B)—

•  $Q = CV$  •  $\frac{1}{C_{eq}} = \frac{1}{C_1} + \frac{1}{C_2} + \frac{1}{C_3}$  •  $E = \frac{F}{q}$  •  $E = \frac{\delta}{\epsilon}$  •  $P = VI \cos \theta$  •  $P = \frac{W}{t}$  •  $\lambda = \frac{h}{mv}$  •  $E = \frac{hc}{\lambda}$  •  $\text{strain} = \frac{\Delta L}{L}$



# PHYSICS HSSC-II

Time allowed: 2:35 Hours

Total Marks Sections B and C: 68

## SECTION – B (Marks 42)

Q. 2 Answer the following questions briefly.

(14x3=42)

(i)	What is meant by 'Magnetic Flux' and 'Magnetic Flux density'? Also give their units.	03	OR	Why energy dissipated per cycle (magnetization and demagnetization). For steel is more as compared to iron? Explain briefly.	03
(ii)	What is Wein's displacement law? Explain briefly.	1+2	OR	Prove that $E = -\frac{\Delta V}{\Delta r}$	03
(iii)	Differentiate between controlled and uncontrolled nuclear chain reactions. How is the chain reaction controlled?	03	OR	Why in a transistor the base region is made thin and lightly doped?	03
(iv)	Distinguish between N-type semiconductor and P-type semiconductor.	03	OR	Calculate the longest wave length of radiation for the Lyman series of hydrogen spectra.	03
(v)	Differentiate "Curie temperature" and "Critical temperature".	03	OR	How capacitor discharge ignition system works? Enlist some of its uses.	2+1
(vi)	Briefly explain resistivity. How it depends on temperature?	1+2	OR	How can a galvanometer be converted into voltmeter? Draw circuit diagram as well.	2+1
(vii)	How are eddy currents produced? Identify their heating effects.	03	OR	How Geiger-Muller counter detects and counts radiation?	03
(viii)	In transformer, why laminated iron core is used instead of solid one?	03	OR	A coil having a resistance of 10 Ohm and an inductance of 32mH is connected to 220V, 50Hz AC supply. Calculate current passing through the coil.	03
(ix)	What is meant by peak value and effective value of sinusoidal current? Give relation between them.	03	OR	Differentiate Paramagnetic and Diamagnetic materials with one example each.	03
(x)	Briefly explain working of transistor as a switch.	03	OR	What is meant by Meta-stable state and population inversion for LASER action?	03
(xi)	Calculate De-Broglie wave length of an electron having KE=1200 kev.	03	OR	Discuss the difference between Hadrons and Leptons.	03
(xii)	How much energy is released when 0.5kg of U-235 undergoes fission reaction? (If the disintegration energy per event is Q=208Mev.)	03	OR	What is meant by Alpha factor and Beta factor for common emitter configuration of transistor? Derive relation between them.	03
(xiii)	Briefly explain the principle of metal detector with circuit diagram.	2+1	OR	What is electron volt(ev)? Derive its relation with SI unit of energy.	1+2
(xiv)	Under what condition a source (Battery or cell) gives maximum power output? Discuss briefly.	03	OR	State Lenz's law. Prove that it is according to law of conservation of energy.	1+2

## SECTION – C (Marks 26)

Note: Attempt the following questions.

Q.3	State postulates of Bohr's atomic model. Show that energy of the electron in H-atom is quantized.	3+4	OR	Derive an expression for charge to mass ratio for an electron and then calculate its value.	5+2
Q.4	What is photoelectric effect? Why classical physics fails to explain photoelectric effect? Derive Einstein photoelectric equation.	1+2+4	OR	What is potentiometer? Explain its principle, construction and working. Also give some uses.	1+5+1
Q.5	State and explain Gauss's law. Find electric field intensity between two oppositely charged parallel plates.	3+3	OR	Explain the phenomenon of self-inductance of a coil. What is its unit? On what factors self-induction depends?	3+1+2
Q.6	What is RLC series resonance circuit? Draw its impedance diagram. Also give its properties.	2+1+3	OR	What is meant by 'half-life' of a radio-active element? Show that $T_{\frac{1}{2}} = 0.693 / \lambda$	2+4

— 2HA-I 24005 —

$$\frac{1}{\lambda} = R_H \left( \frac{1}{p^2} - \frac{1}{n^2} \right) \quad X_L = 2\pi fL \quad \lambda = \frac{h}{mv} \quad KE = \frac{1}{2}mv^2 \quad R_H = 1.0974 \times 10^7 m^{-1} \quad Z = \sqrt{R^2 + X_L^2} \quad N = \frac{N_A \times m}{A}$$

$$h = 6.626 \times 10^{-34} Js \quad I = \frac{V}{Z} \quad N_A = 6.023 \times 10^{23} \quad E = PQ \quad m_e = 9.1 \times 10^{-31} kg \quad A = Z + N \quad E = N \times Q$$



# PHYSICS HSSC-II

## SECTION – A (Marks 17)

Time allowed: 25 Minutes

Section – A is compulsory. All parts of this section are to be answered on this page and handed over to the Centre Superintendent. Deleting/overwriting is not allowed.

Deleting/overwriting is not allowed.

Do not use lead pencil.

حصہ اول لازمی ہے اس کے جوابات اسی صفحہ پر دے کر ناظم مرکز کے حوالے کریں۔ کاپی کرنا منع ہے۔  
کلمے کی اہمیت نہیں ہے۔ لید پنسل کا استعمال ممنوع ہے۔

Version No.				
4	2	0	4	2

ROLL NUMBER					

0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9

Answer Sheet No. \_\_\_\_\_

Invigilator Sign. \_\_\_\_\_

Fill the relevant bubble against each question according to curriculum: Candidate Sign. \_\_\_\_\_

Question	Candidate Sign.							
	A	B	C	D				
1. What is the SI unit of current gain?	It has no unit	Ampere	Volt	Ohm-meter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. The variation of electric potential due to a point charge with distance is represented by the graph as:					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. The interior of a hollow charged sphere is a:	Field free region	Strong field region	Weak field region	Partial field region	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. The thermocouple circuit which is used to measure temperature, works on:	Compton effect	Thomson effect	Peltier effect	Seebeck effect	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Which is correct for an open circuit?	$V_i = 0$	$V_i < \epsilon$	$V_i = \epsilon$	$V_i = \epsilon + Ir$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. What fraction of a radio-active sample will be left after 600 years whose half-life is 150 years?	$\frac{1}{16}$	$\frac{1}{2}$	$\frac{1}{4}$	$\frac{1}{8}$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Two up quarks and one down quark make:	A Meson	A Proton	A Neutron	A Photon	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. When an electron in an atom goes from a lower orbit to higher orbit its:	KE and PE decrease	KE increases, PE decreases	KE decreases, PE increases	KE and PE increase	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. An electron moves $3 \times 10^2 m/s$ perpendicular to magnetic field of $2T$ . What is the magnitude of magnetic force?	$4.0 \times 10^9 N$	$9.6 \times 10^{-17} N$	$6.4 \times 10^{-17} N$	$3.6 \times 10^{-10} N$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
10. If the length of solenoid is doubled but number of turns remain same, then B inside the solenoid becomes:	Four times	Double	One fourth	Half	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11. The term $\frac{\Delta\phi}{\Delta t}$ has the same dimensions as:	Current	Flux	Potential difference	Time	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12. If back emf is zero, then the coil draws:	Minimum current	Steady current	Zero current	Maximum current	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13. In the equation $\Delta\lambda = \frac{h}{m_e c} (1 - \cos\theta)$ , which factor is called Compton wave length?	$h(1 - \cos\theta)$	$\frac{h}{m_e c}$	$\frac{1}{m_e c}$	$1 - \cos\theta$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14. In choke coil the reactance $X_L$ and resistance $R$ , are related as:	$X_L = \infty$	$X_L = R$	$X_L \ll R$	$X_L \gg R$	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
15. In purely inductive circuit, the current:	Lags the emf by $60^\circ$	Lags the emf by $90^\circ$	Leads the emf by $90^\circ$	Is in phase with emf	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
16. Impurity atoms are doped in semi-conductor to increase:	Resistivity	Protons	Positrons	Conductivity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
17. Curie point is a temperature where:	Paramagnetic changes to Ferromagnetic material	Diamagnetic changes to Paramagnetic material	Paramagnetic changes to Diamagnetic material	Ferromagnetic changes to Paramagnetic material	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

—2HA-I 24004 (D) —

•  $E = -\frac{\Delta V}{\Delta r}$  •  $V_i = \epsilon - Ir$  •  $\vec{F} = q(\vec{v} \times \vec{B})$  •  $\beta = \frac{\Delta I_c}{\Delta I_b}$  •  $B = \frac{N\mu_0 I}{l}$  •  $\epsilon = \frac{N\Delta\phi}{\Delta t}$



# PHYSICS HSSC-II

16

Time allowed: 2:35 Hours

Total Marks Sections B and C: 68

## SECTION – B (Marks 42)

Q. 2 Answer the following questions briefly.

(14x3=42)

(i)	Water has a large dielectric constant, but it is rarely used in capacitors. Why?	03	OR	What is meant by moderator, used in atomic reactors? Give example.	2+1
(ii)	How will capacitance of a parallel plate capacitor be affected if area of plates is doubled and separation between them is halved?	03	OR	What is meant by 'critical mass', 'sub-critical mass' and 'super critical mass' for fission chain reaction?	03
(iii)	How does stator help rotor to rotate in A.C. motor?	03	OR	As rate of doing work increases by motor, the back emf decreases. Why?	03
(iv)	How can a rheostat be used as potential divider? Draw circuit diagram as well.	03	OR	What is meant by alpha factor and beta factor for common emitter configuration of transistor? Give relation between them.	03
(v)	Calculate the current flowing through a circuit of resistance 1500 ohm connected with a battery of emf 100V with internal resistance 0.01 Ohm.	03	OR	Briefly explain the terms 'magnetic flux' and 'magnetic flux density'? Give their units as well.	03
(vi)	Can an electron at rest be set in motion with a magnet? Explain briefly.	1+2	OR	Differentiate between spontaneous and stimulated emissions. Also show in diagrams.	03
(vii)	What is the time period of an electron projected into a uniform magnetic field of 20mT and moves in a circle of radius 6cm?	03	OR	Why is common emitter configuration of transistor widely used in amplifier circuits?	03
(viii)	What is choke coil? Give its importance in A.C. circuits.	1+2	OR	How are eddy currents produced? Identify their heating effects.	03
(ix)	What determines the gradient of a graph of inductive reactance against frequency? Explain briefly.	03	OR	Write Stefan-Boltzmann law for black body radiation. Give its mathematical expression as well.	2+1
(x)	Differentiate, between 'critical temperature' and 'curie temperature' with examples.	03	OR	How a galvanometer can be converted into ammeter? Explain with the help of diagram also derive formula.	03
(xi)	Why in a transistor, the base is thin and lightly doped? Explain briefly.	03	OR	A 24.0V car battery powers a 30.0 watt bulb. How many charges pass through it, in each second?	03
(xii)	Which factors cause to produce magnetic field in an atom? Explain briefly.	03	OR	How did De-Broglie prove the third postulate of Bohr's atomic model? Explain briefly.	03
(xiii)	Under what condition Compton shift has maximum wavelength? Also calculate Compton shift wavelength.	1+2	OR	What is meant by depletion layer in PN-Junction? How is it developed? Explain briefly.	2+1
(xiv)	When a solid is heated it begins to glow, why does it first appear red?	03	OR	How many basic forces of nature exist? Describe any two briefly.	1+2

## SECTION – C (Marks 26)

Note: Attempt the following questions.

Q.3	Explain the concept of electric potential. Derive an expression for electric potential at a point in electric field due to a point charge.	1+6	OR	State postulates of Bohr's atomic model. Show that radii of the orbit of H-atom are quantized.	3+4
Q.4	What is meant by emf ( $\epsilon$ ), internal resistance ( $r$ ) and terminal potential difference ( $V_t$ ) of a battery? Derive relation between them. Under what condition $V_t > \epsilon$ ?	3+3+1	OR	What is AC generator? How is an AC generator used to produce an alternating current? Derive mathematical expression of A.C. Also show it graphically.	1+2+4
Q.5	The Half life of Radium is $5.0 \times 10^{10}$ S. A sample contains $6.0 \times 10^{16}$ nuclei. Calculate. a. Decay constant. b. How many radium nuclei will decay per second? Express your answer in curies.	2+2+2	OR	A sinusoidal alternating voltage of angular frequency $\omega$ is connected across a capacitor C. Find mathematical expression for instantaneous voltage, current and average power dissipated per cycle of applied voltage.	06
Q.6	Explain the phenomena of pair production and pair annihilation.	06	OR	Describe the magnetic properties of material explained on the basis of B-H curve.	06

— 2HA-I 24005 (D) —

$$\epsilon_r \text{ for water} = 80 \quad C = \frac{A\epsilon_0\epsilon_r}{d} \quad F = \frac{mv^2}{r} \quad IR = \epsilon - Ir \quad F = q(V \times B) \quad v = \frac{s}{t} = \frac{2\pi r}{T} \quad X_L = 2\pi fL$$

$$I = \frac{Q}{t} \quad \Delta\lambda = \frac{h}{m_0c}(1 - \cos\theta) \quad \lambda = \frac{0.693}{T_{1/2}} \quad A = \lambda N \quad 1Bq = \frac{Ci}{3.70 \times 10^{10}} \quad mvr = \frac{nh}{2\pi}$$

$$P = VI \quad c = 3 \times 10^8 \text{ ms}^{-1} \quad h = 6.626 \times 10^{-34} \text{ Js} \quad m_0 = 9.1 \times 10^{-31} \text{ kg}$$